


Gessco™ 171*

Product Data Sheet



Product Type	Boiler water hardness remover												
Description	Clear, liquid, glassy phosphate blend for boiler water conditioning												
Dosage	Depends on feedwater characteristics and equipment type. Consult your Gessco™ representative or Service Technician for your situation.												
Principal Users	Boilers operating up to 1200 psi												
Features	<ol style="list-style-type: none">1) Precipitates calcium and magnesium minerals so calcium and magnesium scales are prevented2) Improves boiler water quality3) Approved by FDA for uses where steam contacts food.												
Characteristics	<table border="1"><tr><td>Physical form</td><td>Clear, colorless liquid</td></tr><tr><td>Density at 25°C</td><td>1.24 (10.3 lbs/gal)</td></tr><tr><td>pH of product</td><td>5.0 – 6.0</td></tr><tr><td>Boiling Point</td><td>215°F (102°C)</td></tr><tr><td>Flash Point</td><td>Not flammable</td></tr><tr><td>Solubility</td><td>Completely water-soluble</td></tr></table>	Physical form	Clear, colorless liquid	Density at 25°C	1.24 (10.3 lbs/gal)	pH of product	5.0 – 6.0	Boiling Point	215°F (102°C)	Flash Point	Not flammable	Solubility	Completely water-soluble
Physical form	Clear, colorless liquid												
Density at 25°C	1.24 (10.3 lbs/gal)												
pH of product	5.0 – 6.0												
Boiling Point	215°F (102°C)												
Flash Point	Not flammable												
Solubility	Completely water-soluble												
Precautions	Avoid inhalation of mists and contact with skin and eyes. Do not take internally. Keep from freezing. Keep out of reach of children. Goggles recommended when handling. Consult MSDS before handling.												
Packaging	The fourth digit of the product number designates the container size: Gessco™ 171-1 - 5 gallon polyethylene pail Gessco™ 171-2 - 30 gallon polyethylene drum Gessco™ 171-3 - 55 gallon polyethylene drum												

Robert Normand, Division Manager
Phone: (504) 602-1821
Email : robertn@gulfengr.com

Ashley Clement, Inside Sales Coordinator
Phone: (504) 602-1871
email: ashleyc@gulfengr.com

Gulf Engineering Co. LLC
611 Hill Street
P.O.Box 10067

Jefferson, LA 70181-0067

Toll Free : (800) 347-4749 FAX: (504) 734-0765